




BEARING PRECISION AXLE CORP.



35 mm x 80 mm x 21 mm DAC35660033
Bearing 35x66x33mm

Bearing No. 6307

6307 Bearing 2D drawings and 3D CAD models

Size	35x80x21 mm
Bore Diameter	35 mm
Outer Diameter	80 mm
Width	21 mm
d	35 mm
D	80 mm
B	21 mm
C	21 mm
d1	49,5 mm
r1 min.	1,5 mm
r2 min.	1,5 mm
D1	65,4 mm
D2	69,2 mm
da min.	44 mm
Da max.	71 mm
rc max.	1,5 mm
Weight	0,46 Kg
Basic dynamic load rating (C)	35,1 kN
Basic static load rating (C0)	19 kN
Fatigue load limit (Pu)	0,815
Reference speed	19000 r/min
Limiting speed	12000 r/min
Calculation factor (f0)	13
Category	Single Row Ball Bearings
Inventory	3.0



BEARING PRECISION AXLE CORP.

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.459
EAN	7316577738745
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	35MM Bore; 80MM Outside Diameter; 21MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6307
Weight / LBS	1.01
Outside Diameter	3.15 Inch 80 Millimeter
Bore	1.378 Inch 35 Millimeter
Outer Race Width	0.827 Inch 21 Millimeter
d ₁	49.56 mm



BEARING PRECISION AXLE CORP.

D_2	69.2 mm
$r_{1,2}$ min.	1.5 mm
d_a min.	44 mm
D_a max.	71 mm
r_a max.	1.5 mm
Basic dynamic load rating C	35.1 kN
Basic static load rating C_0	19 kN
Fatigue load limit P_u	0.815 kN
Calculation factor k_r	0.03
Calculation factor f_0	13.1
Mass bearing	0.46 kg